

## Plants Along Trails at Lime Kiln State Park, page 1 of 3

| Family                              | Scientific Name  | Common Name           | Hab | Mo  | Col  |
|-------------------------------------|--|-----------------------|-----|-----|------|
| <b>FERNS and FERN ALLIES</b>        |  |                       |     |     |      |
| POLYPODIACEAE et al.                |  |                       |     |     |      |
| Fern Families                       | <i>Polystichum munitum</i>   | Western sword fern    | Fm  |     |      |
|                                     | <i>Pteridium aquilinum</i>   | Bracken               | V   |     |      |
| <b>TREES with NEEDLES or SCALES</b> |  |                       |     |     |      |
| CUPRESSACEAE                        |  |                       |     |     |      |
| Cypress Fam.                        | <i>Thuja plicata</i>   | Western red cedar     | Fm  |     |      |
| PINACEAE                            |  |                       |     |     |      |
| Pine Family                         | <i>Abies grandis</i>   | Grand fir             | Fdm |     |      |
|                                     | <i>Pinus contorta</i>  | Lodgepole pine        | Fd  |     |      |
|                                     | <i>Pseudotsuga menziesii</i>   | Douglas-fir           | Fdm |     |      |
| <b>TREES with BROAD LEAVES</b>      |  |                       |     |     |      |
| ACERACEAE                           |  |                       |     |     |      |
| Maple Family                        | <i>A. macrophyllum</i>   | Bigleaf maple         | Fmd | 4-5 | GY   |
| BETULACEAE                          |  |                       |     |     |      |
| Birch Family                        | <i>Alnus rubra</i>   | Red alder             | Fmo |     |      |
| ERICACEAE                           |  |                       |     |     |      |
| Heath Family                        | <i>Arbutus menziesii</i>   | Madrone               | FoR | 4   | W    |
| ROSACEAE                            |  |                       |     |     |      |
| Rose Family                         | <i>Crataegus monogyna</i>  | Common hawthorn       | V   | 5-6 | W    |
| <b>VINES</b>                        |  |                       |     |     |      |
| ARALIACEAE                          |  |                       |     |     |      |
| Ginseng Family                      | <i>Hedera helix</i>  | English ivy           | V   |     |      |
| CAPRIFOLIACEAE                      |  |                       |     |     |      |
| Honeysuckle F.                      | <i>Lonicera hispidula</i>  | Hairy honeysuckle     | Fom | 5-8 | PiPu |
| CUCURBITACEAE                       |  |                       |     |     |      |
| Gourd Family                        | <i>Marah oreganus</i>  | Oregon manroot        | GFo | 4-6 | W    |
| ROSACEAE                            |  |                       |     |     |      |
| Rose Family                         | <i>Rubus armeniacus</i><br>= <i>R. discolor</i> ; <i>R. procerus</i> | Himalayan blackberry  | GFo | 5-9 | W    |
|                                     | <i>R. laciniatus</i>   | Evergreen blackberry  | GFo | 6-8 | W    |
|                                     | <i>R. ursinus</i>  | Trailing blackberry   | GFo | 5-7 | W    |
| <b>SHRUBS</b>                       |  |                       |     |     |      |
| BERBERIDACEAE                       |  |                       |     |     |      |
| Barberry Fam.                       | <i>Berberis aquifolium</i>   | Tall Oregon grape     | FoV | 3-5 | Y    |
|                                     | <i>B. nervosa</i>  | Low Oregon grape      | Fdm | 4   | Y    |
| CAPRIFOLIACEAE                      |  |                       |     |     |      |
| Honeysuckle F                       | <i>Sambucus racemosa</i><br>var. <i>arborescens</i>                  | Red elderberry        | Fmd | 4-5 | W    |
|                                     | <i>Symphoricarpos albus</i>  | Snowberry             | V   | 5-9 | PiW  |
| ELEAGNACEAE                         |  |                       |     |     |      |
| Oleaster Fam.                       | <i>Shepherdia canadensis</i>   | Soopolallie           | Fdo | 4   | Ybr  |
| GROSSULARIACEAE                     |  |                       |     |     |      |
| Gooseberry F.                       | <i>Ribes sanguineum</i>  | Red-flowering currant | Fod | 3-5 | RWPi |
| ROSACEAE                            |  |                       |     |     |      |
| Rose Family                         | <i>Holodiscus discolor</i>   | Ocean spray           | Fo  | 5-7 | W    |
|                                     | <i>Rosa gymnocarpa</i>   | Bald-hip rose         | Fod | 5-6 | R    |
|                                     | <i>R. nutkana</i>  | Nootka rose           | FoG | 5-7 | R    |
|                                     | <i>Rubus leucodermis</i>   | Blackcap              | GFo | 4-6 | W    |
|                                     | <i>R. spectabilis</i>  | Salmonberry           | Fmd | 3-5 | R    |
| <b>HERBACEOUS FLOWERING PLANTS</b>  |  |                       |     |     |      |
| APIACEAE = Umbelliferae             |  |                       |     |     |      |
| Carrot Family                       | <i>Daucus carota</i>   | Queen Anne's lace     | DG  | 7-9 | WPi  |
|                                     | <i>Osmorhiza berteroi</i><br>= <i>O. chilensis</i>                   | Sweet-cicely          | Fd  | 4-6 | WG   |
|                                     | <i>Sanicula crassicaulis</i>   | Pacific sanicle       | Fdm | 4-7 | Y    |

## Plants Along Trails at Lime Kiln State Park, page 2 of 3

| Family                             | Scientific Name                            | Common Name                 | Hab | Mo  | Col   |
|------------------------------------|--|-----------------------------|-----|-----|-------|
| <b>HERBACEOUS FLOWERING PLANTS</b> |  |                             |     |     |       |
| APOCYNACEAE                        |  |                             |     |     |       |
| Dogbane Family                     | <i>Vinca major</i>                         | Periwinkle                  | Fd  | 4-6 | BI    |
| ASTERACEAE = Compositae            |  |                             |     |     |       |
| Aster Family                       | <b><i>Achillea millefolium</i></b>         | Yarrow                      | V   | 5-9 | W     |
|                                    | <b><i>Anaphalis margaritacea</i></b>       | Pearly everlasting          | GFo | 6-9 | W     |
|                                    | <b><i>Artemisia suksdorfii</i></b>         | Coastal mugwort             | S   | 6   | YG    |
|                                    | <i>Bellis perennis</i>                     | English daisy               | VD  | 3-8 | PiW   |
|                                    | <i>Cichorium intybus</i>                   | Chicory                     | G   | 7-8 | BI    |
|                                    | <i>Cirsium arvense</i>                     | Canada thistle              | GD  | 6-9 | PiPu  |
|                                    | <i>var. horridum</i>                       |                             |     |     |       |
|                                    | <i>C. vulgare</i>                          | Bull thistle                | GD  | 6-9 | Pu    |
|                                    | <i>Crepis capillaris</i>                   | Smooth hawkbeard            | D   | 6-8 | Y     |
|                                    | <b><i>Grindelia stricta v. stricta</i></b> | Coastal gumweed             | SR  | 5-9 | Y     |
|                                    | <b>= <i>G. integrifolium</i></b>           |                             |     |     |       |
|                                    | <b><i>Hieracium albiflorum</i></b>         | White-flowered hawkweed     | Fdm | 5-8 | W     |
|                                    | <i>Hypochaeris glabra</i>                  | Smooth cat's-ear            | G   | 4-7 | Y     |
|                                    | <i>H. radicata</i>                         | Hairy cat's-ear             | GD  | 5-9 | Y     |
|                                    | <i>Leucanthemum vulgare</i>                | Ox-eye daisy                | G   | 5-8 | W     |
|                                    | <b>= <i>Chrysanthemum leucanthemum</i></b> |                             |     |     |       |
|                                    | <i>Mycelis muralis</i>                     | Wall lettuce                | Fdm | 5-8 | Y     |
|                                    | <b>= <i>Lactuca m.</i></b>                 |                             |     |     |       |
|                                    | <i>Senecio jacobaea</i>                    | Tansy ragwort               | GD  | 7-8 | Y     |
|                                    | <i>S. vulgaris</i>                         | Old-man-in-the-spring       | G   | 3-5 | Y     |
|                                    | <i>S. oleraceus</i>                        | Common sow-thistle          | GD  | 6   | Y     |
|                                    | <i>Taraxacum officinale</i>                | Common dandelion            | GD  | 3-6 | Y     |
|                                    | <i>Tragopogon sp.</i>                      | Yellow salsify              | G   | 5-7 | Y     |
|                                    | <i>T. porrifolius</i>                      | Purple salsify              | G   | 5-7 | Pu    |
| BORAGINACEAE                       |  |                             |     |     |       |
| Borage Family                      | <i>Myosotis discolor</i>                   | Yellow-&-blue forget-me-not | G   | 4-7 | BIY   |
| BRASSICACEAE =Cruciferae           |  |                             |     |     |       |
| Mustard Family                     | <i>Cardamine hirsuta</i>                   | Hairy bittercress           | VD  | 3-5 | W     |
|                                    | <i>Draba verna</i>                         | Whitlow grass               | VD  | 5   | W     |
|                                    | <b>= <i>Erophila v.</i></b>                |                             |     |     |       |
| CARYOPHYLLACEAE                    |  |                             |     |     |       |
| Pink Family                        | <b><i>Cerastium arvense</i></b>            | Field chickweed             | GR  | 4-6 | W     |
|                                    | <i>C. glomeratum</i>                       | Sticky chickweed            | G   | 4-5 | W     |
|                                    | <b>= <i>C. viscosum</i></b>                |                             |     |     |       |
|                                    | <i>S. rubra</i>                            | Red sandspurrey             | D   | 5-8 | R     |
|                                    | <i>Stellaria media</i>                     | Chickweed                   | VD  | 4-8 | W     |
| CRASSULACEAE                       |  |                             |     |     |       |
| Stonecrop Fam                      | <b><i>Sedum spathulifolium</i></b>         | Broad-leaved stone-crop     | R   | 5-6 | Y     |
| CUCURBITACEAE                      |  |                             |     |     |       |
| Gourd Family                       | <b><i>Marah oreganus</i></b>               | Oregon manroot              | GFo | 5   | W     |
| FABACEAE =Leguminosae              |  |                             |     |     |       |
| Pea Family                         | <b><i>Lathyrus nevadensis</i></b>          | Sierra Nevada pea           | Fo  | 4-6 | BIPuR |
|                                    | <i>Trifolium dubium</i>                    | Least hop clover            | VD  | 4-8 | Y     |
|                                    | <i>T. repens</i>                           | White clover                | VD  | 4-9 | W     |
|                                    | <b><i>T. willdenovii</i></b>               | Tomcat clover               | G   | 5-6 | Pu    |
|                                    | <b>= <i>T. tridentatum</i></b>             |                             |     |     |       |
|                                    | <i>Vicia hirsuta</i>                       | Hairy vetch                 | V   | 4-8 | WBI   |
|                                    | <i>Vicia sativa</i>                        | Common vetch                | V   | 4-7 | PuR   |
| GENTIANACEAE                       |  |                             |     |     |       |
| Gentian Fam.                       | <i>Centaurium erythraea</i>                | Common centaury             | G   | 6-8 | R     |
|                                    | <b>= <i>C. umbellatum</i></b>              |                             |     |     |       |

## Plants Along Trails at Lime Kiln State Park, page 3 of 3

| Family                             | Scientific Name  | Common Name                                 | Hab      | Mo         | Col       |
|------------------------------------|--|---|----------|------------|-----------|
| <b>HERBACEOUS FLOWERING PLANTS</b> |  |   |          |            |           |
| GERANIACEAE                        |  |   |          |            |           |
| Geranium Fam                       | <i>Erodium cicutarium</i>  | Storksbill                                  | GD       | 3-9        | Pi        |
|                                    | <i>Geranium molle</i>  | Dovefoot geranium                           | GfO      | 4-7        | Pi        |
| HYDROPHYLLACEAE                    |  |   |          |            |           |
| Waterleaf Fam                      | <b><i>Nemophila parviflora</i></b>   | Small-flowered nemophila                    | Fo       | 5-7        | L         |
| HYPERICACEAE                       |  |   |          |            |           |
| St. John's wort F                  | <i>Hypericum perforatum</i>  | Common St. John's wort                      | VD       | 6-8        | Y         |
| IRIDACEAE                          |  |   |          |            |           |
| Iris Family                        | <b><i>Olsynium douglasii</i></b><br><b>=<i>Sisyrinchium d.</i></b>         | Grass widow; Satin flower                   | RG       | 3          | PuR       |
| JUNCACEAE                          |  |   |          |            |           |
| Rush Family                        | <b><i>Luzula multiflora</i></b><br><b>= <i>L. campestris</i></b>           | Many-flowered wood rush                     | FoG      | 4-6        | Br        |
| LAMIACEAE = Labiatae               |  |   |          |            |           |
| Mint Family                        | <b><i>Satureja douglasii</i></b>   | Yerba buena                                 | Fo       | 4-7        | PuW       |
| LILIACEAE                          |  |   |          |            |           |
| Lily Family                        | <b><i>Allium acuminatum</i></b>  | Hooker's onion                              | G        | 5-7        | PiPu      |
|                                    | <b><i>Erythronium oreganum</i></b>   | White fawn-lily                             | FdG      | 4-5        | W         |
|                                    | <b><i>Fritillaria affinis v. affinis</i></b>                               | Chocolate lily; Mission bells               | G        | 4-5        | PuGY      |
|                                    | <b><i>Tritelia hyacinthina</i></b><br><b>= <i>Brodiaea hyacinthina</i></b> | Hyacinth brodiaea                           | G        | 5-7        | WBI       |
|                                    | <b><i>Zygadenus venenosus</i></b>  | Death camas                                 | G        | 4-5        | GY        |
| ORCHIDACEAE                        |  |   |          |            |           |
| Orchid Family                      | <b><i>Calypso bulbosa</i></b>  | Calypso                                     | Fd       | 3-5        | PuR       |
|                                    | <b><i>Corallorhiza maculata</i></b>  | Spotted coralroot                           | Fd       | 4-7        | RPuW      |
|                                    | <b><i>C. striata</i></b>   | Striped coralroot                           | Fd       | 4-5        | PuPiY     |
|                                    | <i>Epipactis helleborine</i>   | European hellebore                          | FdV      | 6-8        | PuG       |
|                                    | <b><i>Goodyera oblongifolia</i></b>  | Rattlesnake plantain                        | Fd       | 8          | W         |
|                                    | <b><i>Piperia elegans</i></b><br><b>= <i>Habenaria greenei</i></b>         | Rein orchid                                 | Fdm      | 7-8        | GW        |
| PAPAVERACEAE                       |  |   |          |            |           |
| Poppy Family                       | <i>Eschscholtzia californica</i>   | California poppy                            | GR       | 5-8        | YO        |
| PLANTAGINACEAE                     |  |   |          |            |           |
| Plantain Family                    | <i>Plantago lanceolata</i>   | English plantain                            | GD       | 4-7        | G         |
| POLYGONACEAE                       |  |   |          |            |           |
| Buckwheat Fam                      | <i>Rumex acetosella</i>  | Sheep sorrel                                | D        | 4-7        | RY        |
|                                    | <i>R. crispus</i>  | Curly-leaved dock                           | D        | 6          | Y         |
| PORTULACAEAE                       |  |   |          |            |           |
| Purslane Fam.                      | <b><i>Claytonia perfoliata</i></b><br><b>=<i>Montia perfoliata</i></b>     | Miner's lettuce                             | Fo       | 3-6        | WPi       |
| PRIMULACEAE                        |  |   |          |            |           |
| Primrose Fam.                      | <i>Anagallis arvensis</i>  | Scarlet pimpernel                           | DR       | 6          | R         |
|                                    | <b><i>Trientalis latifolia</i></b><br><b>= <i>T. borealis</i></b>          | Broad-leaved starflower                     | Fod      | 4-6        | Pi        |
| RANUNCULACEAE                      |  |   |          |            |           |
| Buttercup Fam                      | <b><i>Aquilegia formosa</i></b>  | Red columbine                               | GRFo     | 5          | RY        |
| ROSACEAE                           |  |   |          |            |           |
| Rose Family                        | <b><i>Fragaria vesca</i></b>   | Woodland strawberry                         | Fo       | 4-8        | W         |
| RUBIACEAE                          |  |   |          |            |           |
| Madder Family                      | <b><i>Galium aparine</i></b><br><b><i>Sherardia arvensis</i></b>           | Cleavers<br>Blue field-madder               | GfO<br>G | 4-7<br>5-6 | WG<br>PiL |
| SAXIFRAGACEAE                      |  |   |          |            |           |
| Saxifrage Fam.                     | <b><i>Heuchera micrantha</i></b><br><b><i>Saxifraga caespitosa</i></b>     | Small-flowered alumroot<br>Tufted saxifrage | RFd<br>R | 5-6<br>4-6 | W<br>W    |
| SCROPHULARIACEAE                   |  |   |          |            |           |
| Figwort Family                     | <i>Verbascum thapsus</i>   | Common mullein                              | D        | 6-8        | Y         |